



Revision number:

Purchasing Agent: Debbie Gundersen

Item: NARROW AISLE WALKIE STRADDLE TRUCK, EXPLOSION PROOF

Vendor: 70152B AMERICAN SPECIALTY EQUIP. INC.
15 DANIEL ROAD
FAIRFIELD NJ 07004-2506

Internet Homepage: www.exforklifts.com

Telephone: (973) 882-3190

Fax number: (973) 808-8398

Contact: ROBERT E. DORAN JR.

Email address: bob.doran@exforklifts.com

Brand/trade name:

Price: See Attached Price List
Terms: Net
Effective dates: 01/18/01 through 01/18/03
Days required for delivery: 90-98 days
Price guarantee period: 1 YEAR
Minimum order: ONE UNIT
Min shipment without charges: INCLUDED IN PRICE
Other conditions:

THIS IS A NEW CONTRACT.

This contract resulted from bid # DG1119.

This contract covers only those items listed in the price schedule. It is the responsibility of the agency to ensure that other items purchased are invoiced separately. State agencies will place orders directly with the vendor (creating a PG in Finet) and make payments for the same on a PV referencing the original PG. Agencies will return to the vendor any invoice which reflects incorrect pricing.



1- NARROW AISLE WALKIE STRADDLE TRUCK, EXPLOSION
\$41,825.00/EACH

MODEL: WS 4 EX GREGORY WALKIE STRADDLE TRUCK, BATTERY & CHARGER

CAPACITY: 4000 LB. AT A 24" LOAD CENTER

VOLTAGE: 24 VOLTS

FORKS: 42" SHEATHED BRONZE

MAST: 83" – 127.5" – 5.5" FREE LIFT, HI VISIBILITY, INT. REEVING

IN TO IN: 50"

OUT TO OUT: 58.5"

CHASSIS WIDTH: 58.5" OVERALL

CHASSIS LENGTH: 89" OVERALL, INCLUDES 42" FORKS.

WHEELBASE: 66"

TURNING RADIUS: 76"

UNDER

CLEARANCE: 1.5" STANDARD

TRAVEL SPEED: 3.0 MPH INFINITELY VARIABLE AND ADJUSTABLE EMPTY.

TRAVEL SPEED: 2.2 MPH. INFINITELY VARIABLE AND ADJUSTABLE. LOADED.

DRIVE MOTOR: HEAVY DUTY WITH CLASS H INSULATION.

CONTROLS: PROGRAMMABLE TRANSISTORIZED SYSTEM. INF. VARIABLE SPEED AND ACCELERATION CONTROL.

HYD. CONTROLS: POINT OF ACTION MANUAL ELEC. OPERATOR CONTROLLED WITH INFINITELY VARIABLE LIFT AND LOWER SPEEDS.

STEERING: MANUAL TILLER WITH A 200 DEGREE TURNING RADIUS.

ACCELERATION: HEAVY DUTY MOUNTED IN "T" HANDLE.

DRIVE WHEELS: DUAL (2) 12" X 3.5 " STATIC CONDUCTING RUBBER. UL REQ'D.

LOAD WHEELS: FOUR (4) 4" X 2 7/8" POLYURETHANE.

TRANSMISSION: AUTOMOTIVE TYPE OIL BATH DIFFERENTIAL WITH SPUR GEARS.

TOW BAR PULL: 800 LBS. – I 30,000 PLUS ROLLING WT. CAPABILITY.

BATT. COMPART.: 11.25" X 34.5" OPEN FOR TOP BATTERY REMOVAL

BATTERY CONN.: TYPE EX.

SAFETY FEATURES: HAND GUARD, DEADMAN BRAKING, HOUR METER LOAD BACKREST, FIRE EXT., EMER. POWER DISCONNECT, AND UNDERWRITERS LABORATORIES LABELS AFFIXED.

BATTERY: 12 – 125 – 9EX, 500 AH. 24 VOLT, EX. PROOF, U.L. APPROVED.

CHARGER: W1-12-550 – 1PH. – 60HZ. WITH N2106 EX. CONNECTOR.

MANUALS: 1 SET STANDARD

OPTIONS

REQUIRED: BATTERY DISCHARGE INDICATOR WITH LIFT INTERRUPT AND EX. SIGHT CLASS, SIDE SHIFTER, DRUM HANDLING ATTACHMENTS AND CUSTOM HANDLING APPARATUS.

WARRANTY: 1 YEAR STANDARD AND 2 YEAR EXTENDED POWER TRAIN. DELIVERED.



REPORTS:

THE CONTRACTOR WILL SUBMIT YEARLY REPORTS TO THE STATE PURCHASING AGENT (DEBBIE GUNDERSEN) SHOWING QUANTITIES AND DOLLAR VOLUME OF PURCHASES BY EACH AGENCY AND POLITICAL SUBDIVISION. THIS REPORT WILL BE DUE 01/15/2002.

FINET COMMODITY CODE(S): **FOR AGENCY USE ONLY**

5604800000 - LIFTERS AND STACKERS, HYDRAULIC AND POWERED